

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"10565764"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 11:39
S2	49	375/345.ccls. and 455/250.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 16:08
S3	0	S2 and (sub\$1frames or sub\$1frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 16:09
S4	43	S2 and (@ad<="20030806" or @pd<="20030806" or @rlad<="20030806")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 16:10
S5	1239	375/345.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 16:20
S6	6	S5 and (sub\$1frames or sub\$1frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 16:20
S7	5	S6 and (@ad<="20030806" or @pd<="20030806" or @rlad<="20030806")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 16:21

S8	227	455/250.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 16:22
S9	1	S8 and (sub\$1frames or sub\$1frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 16:23
S10	9	S5 and td\$1scdma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 16:25
S11	2	S10 and frame	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 16:25
S12	25208	(455/62,63,1,67,11,522,434,435,2,501,511-514,500,517,524,525.ccls. or 370/310,330,332,333,270,280,294,335,336,337,342,345.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 17:23
S13	588	S12 and (cell near2 search\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 17:23
S14	5	S13 and ((max or maximum) near3 gain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 17:24
S15	48	S13 and (sub\$1frame?)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 17:26

S16	17	S15 and (@ad<="20030806" or @pd<="20030806" or @rlad<="20030806")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 17:26
S17	192	S12 and (cell near2 search\$3) and gain	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 17:28
S18	6	S12 and (cell near2 search\$3) and gain and saturation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 17:28
S19	139	S17 and (@ad<="20030806" or @pd<="20030806" or @rlad<="20030806")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 17:30
S20	84	S19 and frame?	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 17:31
S21	14	S20 and position?	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/17 17:36
S22	3	("5943326" "6434128" "6907014").PN. OR ("7200124").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/17 17:48
S23	1	"11422794"	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/17 18:11
S24	4	(cell near2 search\$3) same (((down\$1link adj pilot) or dwpts) near6 (time adj (sync\$15 or characteristic or window)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/30 14:26

S25	5	(cell near2 search\$3) same (((down\$1link adj pilot) or dwpts) with (time adj sync\$15 or characteristic or window)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/30 14:28
S26	6	(cell near2 search\$3) same (((down\$1link adj pilot) or dwpts) with (time near2 sync\$15 or characteristic or window)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/30 14:28
S27	2	S26 not S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/30 14:28
S28	45	(((down\$1link adj pilot) or dwpts) same (time near2 (sync\$15 or characteristic or window)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/30 14:30
S29	15	S28 and (cell near2 search\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/30 14:30
S30	9	S29 not S26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/30 14:31
S31	7	("6356555" "6563856").PN. OR ("6934245").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2008/12/30 14:39
S32	0	receiver near4 amplifier near6 ((max or maximum or highest) near3 gain) with saturation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/30 15:14

S33	17	receiver same ((max or maximum or highest) near3 gain) with saturation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/12/30 15:18
S34	14	((determin\$3 or find\$3 or calculat\$3 or comput\$3 or judg\$3 or identif\$7) near2 ((downlink near2 pilot near2 position) or dwpts or (downlink near2 position))) with ((sub adj (frame or carrier)) or sub\$1frame or (super adj frame) or super\$1frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 10:31
S35	10	S34 and (@ad<="20030806" or @pd<="20030806" or @rlad<="20030806")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 10:32
S36	40	((figur\$3 or locating or detect\$3 or track\$3 or gather\$3 or sync\$15 or getting or search\$3 or obtain\$3 or acquir\$3 or determin\$3 or find\$3 or calculat\$3 or comput\$3 or judg\$3 or identif\$7) near2 ((downlink near2 pilot near2 position) or dwpts or (downlink near2 position))) with ((sub adj (frame or carrier or channel or chanel)) or sub\$1frame or (super adj frame) or super\$1frame or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 10:56
S37	26	S36 not S34	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 10:56
S38	8	S37 and (@ad<="20030806" or @pd<="20030806" or @rlad<="20030806")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 10:56
S39	40	((figur\$3 or align\$3 or locating or detect\$3 or track\$3 or gather\$3 or sync\$15 or getting or search\$3 or obtain\$3 or acquir\$3 or determin\$3 or find\$3 or calculat\$3 or comput\$3 or judg\$3 or identif\$7) near2 ((downlink near2 pilot near2 position) or dwpts or dwpt or dpts or (downlink near2 position))) with ((sub adj (frame or carrier or channel or chanel)) or sub\$1frame or (super adj frame) or super\$1frame or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 11:07
S40	2	("5910948" "6356763").PN. OR ("6778588").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/01/09 11:23

S41	10	("20020049536" "20030076812" "20030086401" "20040179550" "20040208234" "20050075125" "20050221848" "20060133464" "20070133611" "7333470").PN. OR ("7466684").URPN.	US-PGPUB; USPAT; USOCR	AND	ON	2009/01/09 11:24
S42	152	((figur\$3 or align\$3 or locating or detect\$3 or track\$3 or gather\$3 or sync\$15 or getting or search\$3 or obtain\$3 or acquir\$3 or determin\$3 or find\$3 or calculat\$3 or comput\$3 or judg\$3 or identif\$7) near2 ((downlink near2 pilot near2 position) or dwpts or dwpt or dpts or (downlink near2 (position or signal or pilot)))) with ((sub adj (frame or carrier or channel or chanel)) or sub \$1frame or (super adj frame) or super\$1frame or frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 11:32
S43	85	S42 and (@ad<="20030806" or @pd<="20030806" or @rlad<="20030806")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 11:33
S44	67	S43 not S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 11:33
S45	2	((setting or receiving or collect\$3 or acquir\$3 or obtain\$3 or read\$3 or accept \$3 or taking) near2 ((max or maximum or highest or maximal or most or largest or greatest or ultimate or utmost or uttermost) adj gain)) same (carrier adj frequenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 12:01
S46	2	((setting or receiving or collect\$3 or acquir\$3 or obtain\$3 or read\$3 or accept \$3 or taking) near4 ((max or maximum or highest or maximal or most or largest or greatest or ultimate or utmost or uttermost) adj gain)) same (carrier adj frequenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 12:02
S47	102	((setting or receiving or collect\$3 or acquir\$3 or obtain\$3 or read\$3 or accept \$3 or taking) near2 ((max or maximum or highest or maximal or most or largest or greatest or ultimate or utmost or uttermost) adj gain)) and (carrier adj frequenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 12:03
S48	80	S47 and (@ad<="20030806" or @pd<="20030806" or @rlad<="20030806")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 12:03

S49	0	((initial\$3 near2 (setting or receiving or collect\$3 or acquire\$3 or obtain\$3 or read\$3 or accept\$3 or taking) near2 ((max or maximum or highest or maximal or most or largest or greatest or ultimate or utmost or uttermost) adj gain)) and (carrier adj frequenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 12:09
S50	0	((initial\$3 or previous\$3) near2 (setting or receiving or collect\$3 or acquire\$3 or obtain\$3 or read\$3 or accept\$3 or taking) near2 ((max or maximum or highest or maximal or most or largest or greatest or ultimate or utmost or uttermost) adj gain)) and (carrier adj frequenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 12:10
S51	14	((initial\$3 or previous\$3) same (setting or receiving or collect\$3 or acquire\$3 or obtain\$3 or read\$3 or accept\$3 or taking) near2 ((max or maximum or highest or maximal or most or largest or greatest or ultimate or utmost or uttermost) adj gain)) and (carrier adj frequenc\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 12:10
S52	38	S48 and saturat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 12:12
S53	42	S48 not S52	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 12:19
S54	6	"6529735"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 16:47
S55	16	"5953673"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 16:49
S56	9	"6853849"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 16:49

S57	6	"6748317"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 16:51
S58	2	"20030195695"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/09 16:52
S59	2440	fast near2 fad\$3	US-PGPUB; USPAT; USOCR	AND	ON	2009/01/12 14:05
S60	4	(fast near2 fad\$3) same (cell near2 search\$3)	US-PGPUB; USPAT; USOCR	AND	ON	2009/01/12 14:06
S61	77	(fad\$3) same (cell near2 search\$3)	US-PGPUB; USPAT; USOCR	AND	ON	2009/01/12 14:11
S62	58	S61 and (@ad<="20030806" or @pd<="20030806" or @rlad<="20030806")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2009/01/12 14:12

1/14/2009 4:04:18 PM

C:\Documents and Settings\oobayanju\My Documents\EAST\Workspaces\10565764_Amend.wsp